

Unit A5, Greenway Business Park Winslow Road, Great Horwood Buckinghamshire, MK17 ONP

Tel: 01296 712171 sales@weights.uk.com www.weights.uk.com

Certificate number 46908 16 November 2023

Total Laboratory Services Limited Unit 14C Sunrise Business Park Higher Shaftesbury Road Blandford Forum Dorset DT11 8ST

CERTIFICATE of CALIBRATION

We hereby certify that the four stainless steel weights 50g - 5g in set W10600 have been calibrated to fall within O.I.M.L. class F_1 tolerance.

Nominal Value	Measured Value g	Uncertainty +/- mg on UKAS Weights	
50 g	50.000 2	0.03 0.025	
20 g	20.000 20		
10 g	10.000 12	0.020	
5 g	5.000 09	0.016	

The measured values reported in this certificate were determined by comparison weighing methods against our laboratory's reference standards with a hypothetical density of 8000 kg/m³ which in air of density 1.2kg/m³ would balance the nominal weight.

WEIGHTS standard class E_2 weight set number 988 certified on UKAS certificate number UN0627 Date of issue 28th June 2023 by Norfolk Calibration Services. UKAS calibration number 0260.

Traceability to National Standards is established by comparison to Norfolk Calibration Services class E_2 weight sets.

Recommended recalibration February 2025. Why should recalibration be carried out?

Recalibration of test equipment is a major requirement for quality management systems. All test weights vary with time due to wear and the collection of grime. The extreme of weight change varies with the environment the weights are used in, consequently periodic recalibration at regular intervals is required.

Signed

Directors: Simon Fenton, Lesley Fenton, Karen Fenton



Unit A5, Greenway Business Park Winslow Road, Great Horwood Buckinghamshire, MK17 0NP

> Tel: 01296 712171 sales@weights.uk.com www.weights.uk.com

OIML ⁺/- maximum permissible tolerance on calibration weights

Nominal	Nominal Class E ₁ Class E ₂ Class F ₁ Class F ₂ Class M ₁ Class M ₂						
Value	mg	mg	mg	mg	mg	mg	
50kg	25	80	250	800	2,500	8,000	
20kg	10	30	100	300	1,000	3,000	
10kg	5.0	16	50	160	500	1,600	
5kg	2.5	8.0	25	80	250	800	
2kg	1.0	3.0	10	30	100	300	
1kg	0.5	1.6	5.0	16	50	160	
500g	0.25	0.8	2.5	8.0	25	80	
200g	0.10	0.3	1.0	3.0	10	30	
100g	0.05	0.16	0.5	1.6	5.0	16	
50g	0.03	0.10	0.3	1.0	3.0	10	
20g	0.025	0.08	0.25	0.8	2.5	8.0	
10g	0.020	0.06	0.20	0.6	2.0	6.0	
5g	0.016	0.05	0.16	0.5	1.6	5.0	
2g	0.012	0.04	0.12	0.4	1.2	4.0	
1g	0.010	0.03	0.10	0.3	1.0	3.0	
500mg	0.008	0.025	0.08	0.25	0.8	2.5	
200mg	0.006	0.020	0.06	0.20	0.6	2.0	
100mg	0.005	0.016	0.05	0.16	0.5	1.6	
50mg	0.004	0.012	0.04	0.12	0.4	1-1	
20mg	0.003	0.010	0.03	0.10	0.3	-	
10mg	0.003	0.008	0.025	0.08	0.25	-	
5mg	0.003	0.006	0.020	0.06	0.20	-	
2mg	0.003	0.006	0.020	0.06	0.20	-	
1mg	0.003	0.006	0.020	0.06	0.20	-	

Note: Non standard weights not listed, the next highest weight tolerance applies.

